



## MATERIAL SAFETY AND DATA SHEET

### Chemical Product and Company Identification

Manufacture	Dealer Appearance Products Inc. 1460 S.W. 3 <sup>rd</sup> . St. B10 Pompano Beach Fl. 33069	
Emergency Phone	561-436-3801	
Product use	Auto Reconditioning	
HMIS Rating	Health	0
	Flammability	0
	Reactivity	0
	Protection	X
Distributor	Dealer Appearance Products Inc. 1460 S.W. 3 <sup>rd</sup> . St. B10 Pompano Beach Fl. 33069	
Emergency Phone	954-941-2873	
Product identification	LEATHER TOUCH	

### Composition / Information on Ingredients

Ingredient Name	CAS Number	Wgt. %	PEL-OSHA	TLV-ACGIH	Carcinogen
THERE ARE NO HAZARDOUS COMPONENTS					No

### Hazards Identification

Potential Health Effects	
Skin	Pre-existing skin conditions may be aggravated.
Eyes	This product may cause irritation, redness
Inhalation	This product may cause irritation to respiratory system.
Ingestion	Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### First Aid Measures

First aid	
Skin	Wash with soap and water see physician if irritation persists.
Eyes	In case of contact with eyes, rinse immediately with plenty of water for 15 minutes and seek medical advice.

Inhalation	Remove to fresh air
Ingestion	Do not induce vomiting; drink call physician

### Fire Fighting Measures

Hazardous Combustion Products Not a fire hazard
Extinguishing Media Non-flammable
General Fire Hazards Not a fire hazard.
Fire Fighting Equipment/Instructions None
Flash Point none

### Accidental Release Measures

Containment Procedures Remove with inert absorbent and transfer for disposal. Wash spill area with water.
Clean-Up Procedures Absorb spill with inert material. Shovel material into appropriate container for disposal. Dispose according to local, state and federal regulations for products containing organic polymers.

### Handling and Storage

Handling Procedures Do not store under freezing conditions,
Storage Procedures Keep the container tightly closed. Avoid freezing to prevent bursting of the container. Do not store, incinerate, or heat this material above 120 degrees Fahrenheit.

### Exposure Controls / Personal Protection

Engineering Controls Use local exhaust ventilation.
Personal Protective Equipment Eyes/Face Wear chemical goggles. Skin Use impervious gloves. Use of impervious apron and boots are recommended. Respiratory If ventilation is not sufficient to effectively prevent buildup of vapor/mist/fume/dust, appropriate NIOSH/MSHA respiratory protection must be provided. General Use good industrial hygiene practices in handling this material. Eye wash fountain and emergency showers are recommended. Launder contaminated clothing before reuse.

### Physical & Chemical Properties

Boiling Point	212 F
---------------	-------

Specific Gravity	1.01
Vapor Pressure	ND
Evaporation Rate	ND
Vapor Density	ND
Solubility (H2O)	Soluble
Color	White

## Chemical Stability & Reactivity Information

This is a stable material.

### Chemical Stability

Upon decomposition, this product emits carbon oxide, and silicone oxide

### Hazardous Decomposition

Will not occur.

### Hazardous Polymerization

Will not occur

## Toxicological Information

### Toxicological Information

No data available for this product.

## Ecological Information

### Ecological Information

No data available for this product.

## Disposal Considerations

### Disposal Instructions

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

## Other Information

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Material Safety Data Sheet. However, MSDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is not made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In addition, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.