



## MATERIAL SAFETY AND DATA SHEET

### Chemical Product and Company Identification

Manufacture	Dealer Appearance Products Inc. 1460 S.W. 3 <sup>rd</sup> . St. B10 Pompano Beach Fl. 33069	
Emergency Phone	561-436-3801	
Product use	Auto Reconditioning	
HMIS Rating	Health	2
	Flammability	2
	Reactivity	0
	Protection	X
Distributor	Dealer Appearance Products Inc. 1460 S.W. 3 <sup>rd</sup> . St. B10 Pompano Beach Fl. 33069	
Emergency Phone	954-941-2873	
Product identification	SUPER CLEAR	

### Composition / Information on Ingredients

Ingredient Name	CAS Number	Wgt. %	PEL-OSHA	TLV-ACGIH	Carcinogen
MINERAL SPIRITS	8052-41-3	30 - 60	100 PPM	100 PPM	No
Non-hazardous and other ingredients below reportable levels	Proprietary	27.5	N/AP	N/AP	N/AP

### Hazards Identification

Potential Health Effects	
Skin	Prolonged and/or repeated skin contact with this product may cause irritation/dermatitis. Prolonged or repeated contact with this product may dry and/or defat the skin.
Eyes	This product may cause severe irritation, redness, or blurred vision.
Inhalation	Excessive inhalation of this material causes headache, dizziness, and nausea.
Ingestion	Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Hazard Statements	FLAMMABLE

	CAUTION: EYE AND SKIN IRRITANT.
--	---------------------------------

### First Aid Measures

First aid	
Skin	Immediately take off all contaminated clothing. Wash affected area with mild soap and water. If irritation persists, get medical attention.
Eyes	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Inhalation	Move person to non-contaminated air. If the affected person is not breathing, apply artificial respiration. Seek medical attention.
Ingestion	If ingested, get immediate medical attention. Do not induce vomiting unless instructed to do so by medical personnel.

### Fire Fighting Measures

Hazardous Combustion Products Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Extinguishing Media Carbon dioxide. Alcohol foam. Use water to cool fire-exposed containers and to protect personnel.
General Fire Hazards Vapors are heavier than air and may travel along the ground to some distant source of ignition and flash back.
Fire Fighting Equipment/Instructions Wear self-contained breathing apparatus with a full-face piece operated in the positive pressure demand mode when fighting fires.
Flash Point 50 F (10 C) lowest flashing component TCC Flammability Limits in Air, Lower, % by Volume 0.9 %

### Accidental Release Measures

Containment Procedures Eliminate sources of ignition. Dike the spilled material, where this is possible.
Clean-Up Procedures Absorb spill with inert material. Shovel material into appropriate container for disposal. Eliminate ignition sources including sources of electrical, static or frictional sparks.

### Handling and Storage

Handling Procedures Keep this product from heat, sparks, or open flame.
Storage Procedures Keep the container tightly closed. Avoid freezing to prevent bursting of the container. Do not store, incinerate, or heat this material above 120 degrees Fahrenheit.

## Exposure Controls / Personal Protection

Engineering Controls Use local exhaust ventilation.
Personal Protective Equipment Eyes/Face Wear chemical goggles. Skin Use impervious gloves. Use of impervious apron and boots are recommended. Respiratory If ventilation is not sufficient to effectively prevent buildup of vapor/mist/fume/dust, appropriate NIOSH/MSHA respiratory protection must be provided. General Use good industrial hygiene practices in handling this material. Eye wash fountain and emergency showers are recommended. Launder contaminated clothing before reuse.

## Physical & Chemical Properties

Boiling Point	> 240 F
Specific Gravity	0.798
Vapor Pressure	< 20mm/Hg
Evaporation Rate	Slower than either
Vapor Density	> 1
Solubility (H <sub>2</sub> O)	Insoluble
pH	5.08 lbs/gal

## Chemical Stability & Reactivity Information

This is a stable material. Chemical Stability Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Hazardous Decomposition Will not occur. Hazardous Polymerization This product may react with strong oxidizing agents.
--

## Toxicological Information

Toxicological Information No data available for this product.
--

## Ecological Information

Ecological Information No data available for this product.
---

## Disposal Considerations

Disposal Instructions Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
--

## Transportation Information

US DOT HMR Information

Proper Shipping Name Flammable liquids, n.o.s., (Petroleum Distillates)

Identification Number UN1993 Packaging Group II

Hazard Class 3

## Regulatory Information

None

## Other Information

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Material Safety Data Sheet. However, MSDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is not made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In addition, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.